



LUXERA
SURFACE
CRAFTING THE ERA OF LUXURY



Exceeding The Limits To Always Get The Best



1200x2400MM

CONNECTING THE VALUE OF SLAB



CONTINUA+

SYSTEM
Lamina



CONTINUA+ is the most efficient, highest-productivity technology for the accurately managed manufacture of porcelain slabs and tiles, also producible with traditional bodies. The slabs are, in fact, formed without using a traditional press or mould, ensuring maximum flexibility in terms of size and thickness.



CONTINUA+ seamlessly integrates the powder forming phase and subsequent digital decoration. The key strengths of this exclusive process are high quality texturing and unrivalled surface shine.

PRODUCT

Formats



The thicknesses are one of the most important elements characterizing

15 mm is set aside for the most demanding product applications such as kitchen countertops.

EDGE Profiles




Double straight rounded edge




Rounded straight edge



Half bullnose



Full bullnose



Demi bullnose



Micro bevel




Straight squared edge



Double straight squared edge



Rounded edge at 45°



Squared edge at 45°

Giving a nice trim to the edges of the tiles adds to its beauty. As these tiles are of the good thickness of 15mm it is possible to shape its edges in different styles and create aesthetically rich countertops for your space.

JOINT POSSIBILITIES




Birds beak



45° corner



Soft corner



LUXERA SURFACE
CRAFTING THE ERA OF LUXURY



White



Black



Grey



Ivory



■

Our collections offer professional-grade performance while seamlessly blending the latest innovations with a premium design aesthetic that is crafted with authentic, high-quality materials.

The Functionality of
The Residential Kitchen


Elevating Classic Style
for Today's Homeowner

Leading Edge Design
and Innovation

PRODUCT Range



BLUE PEARL



Black Fusion



Forest Green



Gold Black



Marine Black



Salina Blanco



ACHROMIC GREY




Bagnara



Branco Commum



Emperador Grey




Sary Gris



Strome Root



William Grey



Bluetee



Alfa Beige



Antresit Beige




Bianco Perlino




Breccia Aurora



Bressia Oniciata



Bottochino Venato



Marfil Valencia



Rocersa Imperiale



Trani Fiorito



Alfa White



Apuane Statuario



Antresit Bianco



Arabescato Gold



Bianco Carrara



Calcatta Ultra



Calacatta Roman Beige



Gris Moncervetto




Golden Posa



Macaubas Quartzite



Mont Blanc



Pearl White



Patagonia Bianco



Statuario Pearl




Statuario Delicato



VENETINO




Jet Black



Royal Quartzite

PRODUCT Finishes



LUXERA
SURFACE
CRAFTING THE ERA OF LUXURY

GLOSSY

Glossy is an optical property which indicates how well a surface reflects light in a specular (mirror-like) direction.



APPLICATION Areas

KITCHEN COUNTERTOP



DINING TABLE



LIVING ROOM



FURNITURE



STAIRCASE



OFFICE TABLE



TABLE TOP



DOOR WINDOW
FRAME



TECHNICAL Features

LIGHTWEIGHT



WATERPROOF



RESISTANT TO SCRATCHES



RESISTANT TO HIGH
TEMPERATURES



EASY TO CLEAN



RESISTANT TO BENDING



100% NATURAL



RECYCLABLE




HYGIENIC



RESISTANT TO UV RAYS





BLUE PEARL

BODY
BLACK BODY


FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM



LUXERA
SURFACE
CRAFTING THE ERA OF LUXURY




BLACK FUSION

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM




FOREST GREEN

BODY
BLACK BODY


FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM



LUXERA
SURFACE
CRAFTING THE ERA OF LUXURY



GOLD BLACK

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM



MARINE BLACK

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM




SALINA BLANCO

BODY
BLACK BODY


FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM



**LUXERA
SURFACE**
CRAFTING THE ERA OF LUXURY




ACHROMIC GREY

BODY
GREY BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM



**LUXERA
SURFACE**
CRAFTING THE ERA OF LUXURY




BAGNARA

BODY
GREY BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM



**LUXERA
SURFACE**
CRAFTING THE ERA OF LUXURY




BRANCO COMMUM

**BODY
GREY BODY**


**FINISH
GLOSSY**

**SIZE
1200X2400 MM**

**THICKNESS
15MM**



**LUXERA
SURFACE**
CRAFTING THE ERA OF LUXURY



EMPERADOR GREY

**BODY
GREY BODY**

**FINISH
GLOSSY**

**SIZE
1200X2400 MM**

**THICKNESS
15MM**



SARY GRIS

BODY
GREY BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM



STROME ROOT

**BODY
GREY BODY**

**FINISH
GLOSSY**

**SIZE
1200X2400 MM**

**THICKNESS
15MM**



WILLIAM GREY

BODY
GREY BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM




ALFA BEIGE

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM




ANTRESIT BEIGE

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM



**LUXERA
SURFACE**
CRAFTING THE ERA OF LUXURY




BIANCO PERLINO

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM



**LUXERA
SURFACE**
CRAFTING THE ERA OF LUXURY




BLUETEE

**BODY
IVORY BODY**

**FINISH
GLOSSY**

**SIZE
1200X2400 MM**

**THICKNESS
15MM**



BOTTOCHINO VENATO

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM



BRECCIA AURORA

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM




BRESSIA ONICIATA

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM



MARFIL VALENCIA

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM



ROCERSA IMPERIALE

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM




TRANI FIORITO

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM



**LUXERA
SURFACE**
CRAFTING THE ERA OF LUXURY



ALFA WHITE

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM




APUANE STATUARIO

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM



**LUXERA
SURFACE**
CRAFTING THE ERA OF LUXURY




ANTRESIT BIANCO

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM




ARABESCATO GOLD

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM




BIANCO CARRARA

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM



CALCATTÀ ULTRA

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM



CALACATTA ROMAN BEIGE

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM




GRIS MONCERVETTO

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM



GOLDEN POSA

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM



MACAUBAS QUARTZITE

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM



MONT BLANC

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM




PEARL WHITE

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM



**LUXERA
SURFACE**
CRAFTING THE ERA OF LUXURY



PATAGONIA BIANCO

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM




SATUARIO PEARL

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM



**LUXERA
SURFACE**
CRAFTING THE ERA OF LUXURY



STATUARIO DELICATO

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM



VENETINO

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM



JET BLACK

BODY
FULL BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM



ROYAL QUARTZITE

BODY
FULL BODY

FINISH
GLOSSY

SIZE
1200X2400 MM

THICKNESS
15MM

Cleaning & Maintenance

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent Ammonia, Backing Soda
Oil	Solvent Oxidant -	Alcohol, Liquid Bleach, Nail Paint Remover
Ink	Solvent Acid Acid	Hydrochloric Acid, Vinegar, Red Harpic
Rust	Acid Alkaline	Descaling Reagent, Hydro Chloric Acid
Lime	Alkaline - Solvent	Hydro Chloric Acid Ammonia, Liquid
Cement	Solvent Acid	Bleach Ammonia, Liquid Bleach Alcohol,
Wine	Solvent Oxidant	Thinner Hydro Chloric Acid Alcohol,
Coffee	Oxidant Alkaline	Thinner Liquid Bleach Liquid Bleach
Rubber		Liquid Bleach
Plaster		
Candle Wax		
Iodine		
Blood		
Ice Cream		

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE	TEST METHOD
Regulatory Properties Deviation in			
Length and Width	± 0.30 % (±1.00mm)	± 0.10 % ± 5.00 % ±	ISO 10545-2 ISO
Deviation in Thickness	± 5.00 % (±0.50mm)	0.10 % ± 0.10% ±	10545-2 ISO
Straightness in Side	± 0.30 % (±0.80mm)	0.50 % ± 0.50 % ±	10545-2 ISO
Rectangularity	± 0.30 % (±1.50mm)	0.50 % >95%	10545-2 ISO
Surface Flatness Central Curvature	± 0.40 % (±1.80mm)	defects free ΔE <	10545-2 ISO
Surface Flatness Edge Curvature	± 0.40 % (±1.80mm)	0.30 Gloss Value>	10545-2 ISO
Surface Flatness Warpage	± 0.40 % (±1.80mm)	90 3 <Gloss	10545-2 ISO
Surface Quality	>95% defects free	Value<7 7<Gloss	10545-2 ISO
Small Color Difference(for Plain Colour)	ΔE < 1.00 as per	Value<18	10545-16 Gloss
Glossiness (Polished)	mfg. as per mfg. as		Meter 60° Gloss
Glossiness (Matt)	per mfg.		Meter 60° Gloss
Glossiness (Satin/Posh)			Meter 60°
Structural Properties Water absorption			
Bulk density Massive Mechanical	≤ 0.50 %	≤ 0.060 %	ISO 10545-3
Properties Modulus of rupture Breaking strength thickness <7.5 Breaking	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
strength thickness ≥7.5 Breaking strength thickness ≥(175.5mm)	Min. 35.0 N/mm ²	Min. 42.0 N/mm ²	ISO 10545-4
Surface Mechanical Properties	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
MOH'S hardness #	Min. 1300.0 N	Min. 1800.0 N	ISO 10545-4
Surface abrasion resistance #	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4
Deep abrasion resistance #			
Thermal Hydrometric Properties	as per mfg.	Glossy Min. 4*/ Posh Min. 6	BS EN 15771
Moisture expansion	as per mfg.	Glossy Min. 2/ Posh Min. 3	ISO 10545-7
Thermal expansion(COE) at 100°C	Max. 175m ³ m	Max. 132mm ³	ISO 10545-6
Thermal shock resistance			
Impact resistance(COR) #	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	ISO 10545-10
Frost resistance	as per mfg.	Max. 6.0 x 1-06	ISO 10545-8
Chemical Properties	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Resistance to staining glazed	Min. 0.55	Min. 0.55	ISO 10545-5
Resistance to household chemicals & swimming pool salts glazed	as per mfg.	Frost Proof	ISO 10545-12
Resistance to low concentrate acid and alkalis glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to high concentrate acid and alkalis glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Safety Properties	as per mfg.	Min. Class GLB**	ISO 10545-13
Skid resistance(DCOF-DRY) ##	as per mfg.	Min. Class GHB**	ISO 10545-13
Slip resistance(DCOF)(R value) ##			
Fire resistance	as per mfg.	Glossy P0(< ¹²) / Posh ≥P ¹ (¹²⁻²⁴)	BS 7976-2
	as per mfg.	R9 to R ¹³	DIN 51130
	as per mfg.	Fire Proof	N.A.

*With Nano polished
** Except Hydrofluoric Acid & it's compound
Tiles Intended for use on floor
As per customer requirement

Packing Details

PRODUCT	BODY	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT (Kg)
Glossy	Color Body	1200x2400mm	15mm	1pc	31 Sq ft	98 to 100 Approx
Glossy & Matt	Full Body	1200x2400mm	15mm	1pc	31 Sq ft	98 to 100 Approx



LUXERA
SURFACE
CRAFTING THE ERA OF LUXURY



+91 89804 88888



luxerasurface@gmail.com



8 A National Highway Near Vishal Furniture Bapa.k.plaza
Morbi 2 363642